

Northern Michigan University (Marquette Co, MI)  
CS345-01-25W Android Programming (Andrew A. Poe)

Practice Quiz 6

Thursday 20 March 2025 4:00 P.M. EDT

Time: 15 minutes

Time: 15 minutes

Write the onCreateView method in a Fragment class that defines a specific fragment called fragment\_quiz6. It should contain one buttons called myButt in Kotlin and butt1 in XML and a text field called myText in Kotlin and TF1 in XML.

Within this fragment, whenever the button is clicked, the text in the textshould be reversed. For example, if the text had been, "abcde" it is now "edcba".

Northern Michigan University (Marquette Co, MI)  
CS345-01-25W Android Programming (Andrew A. Poe)

Practice Quiz 6

Thursday 20 March 2025 4:00 P.M. EDT

Time: 15 minutes

```
override fun onCreateView(  
    inflater: LayoutInflater, container: ViewGroup?,  
    savedInstanceState: Bundle?): View? {  
  
    val v:View? = inflater.inflate(R.layout.fragment_quiz6, container, false)  
    myButt = v!!.findViewById (R.id.butt1)  
    myText = v!!.findViewById (R.id.TF1)  
  
    myButt.setOnClickListener {  
  
        myText!!.text = myText!!.text.reversed()  
    }  
}
```