Northern Michigan University (Marquette Co, MI)

CS422-01-25W: Algorithms (Andrew A. Poe) Practice Final Examination Name: _

Sunday 27 April 2025 7:00 P.M. EDT

```
Time: 50 minutes
```

1. Given the following classes:

```
public class LL { public class Node {
  public Node head; public String s;
  }
  public Node next;
  }
```

Write code for the LL method int DelPrefix (String pref) { ... } This method removes all nodes from the linked list whose strings begin with pref. If pref were "BL" for example, the method would remove "BLACK" "BLEND" "BLONDE" etc. The linked list is not necessarily sorted. All the remaining nodes must be in the same relative order that they were in previously. You are not to create new nodes or modify the data fields of existing nodes. This must be accomplished by pointer manipulation only. Do not use loops. Use recursion only. You may use helper methods but you must write them if you do.

2. If A is an array of String in which all strings contain only capital letters, write void SortByFirst (String[] A) { ... } which sorts the strings by the first character only. So, all the A's are together, all the B's are together, etc. The thing is that the method should run in O(n) time on the number of strings in the array. $n \lg n$ is too slow.

Northern Michigan University (Marquette Co, MI)

CS422-01-25W: Algorithms (Andrew A. Poe) Practice Final Examination Name: _

Sunday 27 April 2025 7:00 P.M. EDT

3. Show step by step how Heap Sort would sort F I N A L.

4. Write the code for the following method

```
public void FileShellSort (RandomAccessFile f, int reclen)
{ ... }
```

f is a random access file that is already open. You don't have to open or close it. reclen is the length of each individual record. You are to sort the file using the 2-3 Shell Sort described in class. For example, if the file were "CATDOGBAT" and the record length were 3, the method should transform the file into "BATCATDOG". You are not allowed to have more than two records in memory at any given time. You are not allowed to use an additional file.

Northern Michigan University (Marquette Co, MI)

CS422-01-25W: Algorithms (Andrew A. Poe) Practice Final Examination Name: _

Sunday 27 April 2025 7:00 P.M. EDT

5. Consider the following function f(0)=1, f(1)=2, f(2)=3, f(3)=4, f(4)=10, f(5)=20, f(6)=30, f(7)=40, f(8)=100, f(9)=200, f(10)=300, f(11)=400, etc. Using a hashtable and recursion, write the code for BigInteger f (int n) { . . . } which computes the value of this function. Let the hashtable and recursion to the work. The mathematical formulas in your code should be simple.

6. Given a trie, describe, in English, a recursive algorithm that will print all strings in the trie that match the search string once the X's have been removed from all strings in the trie. The search string will never contain an X. There might be X's in the trie. For example, if the search string were "CAT", this string would match "CAT" "CAXT" CAXXT" "XCXAXTX" "XXXXXCATXXXXX" for example, and these strings would print, if they are in the trie.